Indivisible

Groundwork

JUNCTIONS

Naturopathic

SCHEDULE

Manuscript

CAMPAIGN

Fingerboard

REGISTER

Lighthouse

GATEFOLD

Encapsulate

SECURELY

Directional

AIRMOBILE

Helicopter

THEATRICS

Bandleader

DEDUCTION

Locomotive

JUDICIARY

Checkpoint

KILOMETER

Blueprints

RECIPIENT

Simulation

GERANIUMS

Palimpsest

QUARTERLY

Thin & Thin Italic 11 Pt.

In rocks, some mineral species and groups are much more abundant than others; these are termed the rock-forming minerals. The major examples of these are quartz, the feldspars, the micas, the amphiboles, the pyroxenes, the olivines, and calcite; except for the last one, all of these minerals are silicates. Overall, around 150 minerals are considered particularly important, whether in terms of their abundance or aesthetic value in terms of collecting. The other minerals in the rock are termed accessory, and do not greatly affect the bulk composition of the rock. Rocks can also be composed of non-rock material.

Light & Light Italic 11 Pt.

In rocks, some mineral species and groups are much more abundant than others; these are termed the rock-forming minerals. The major examples of these are quartz, the feldspars, the micas, the amphiboles, the pyroxenes, the olivines, and calcite; except for the last one, all fever listed minerals are silicates. Overall, around 150 minerals are considered particularly important, whether in terms of their abundance or aesthetic value in terms of collecting. The other minerals in the rock are termed accessory, and do not greatly affect the bulk composition of the rock. Rocks can also be composed of non

Regular & Regular Italic 11 Pt.

In rocks, some mineral species and groups are much more abundant than others; these are termed the rock-forming minerals. The major examples of these are quartz, the feldspars, the micas, the amphiboles, the olivines, and calcite; except for the last one, all of these minerals are silicates. The 150 minerals considered especially extravagant, whether in terms of their abundance or aesthetic value when it comes to collecting, remain special. The other minerals in the rock are termed accessory, and do not greatly affect the bulk composition though other compounds and non-rock material

Medium & Medium Italic 11 Pt.

In rocks, some mineral species and groups are much more abundant than others; these are termed the rock-forming minerals. The major examples of these are usually quartz, the feldspars, the micas, the amphiboles, the pyroxenes, the olivines, and calcite; except for the last one, all of these minerals are silicates. Overall, around about 150 minerals are considered particularly important, whether in terms of their abundance or aesthetic value in terms of collecting. The other minerals in the rock are termed accessory, and do not greatly affect the remaining bulk composition

SemiBold & SemiBold Italic 11 Pt.

In rocks, some mineral species and groups are much more abundant than others; these are termed the rock-forming minerals. The major examples are quartz, the feldspars, the micas, the amphiboles, the pyroxenes, the olivines, and calcite; except for the last one, all of these minerals classify as silicates. Overall, noted as around 150 of the minerals are considered especially important, whether in terms of their abundance or aesthetic value as it relates to collecting and showing. The other minerals in the rock are termed accessory, and do not greatly affect the rock formation

Bold & Bold Italic 11 Pt.

In rocks, some mineral species and groups are much more abundant than others; these are termed the rock-forming minerals. The new major examples of these are quartz, the feldspars, the micas, the amphibs, the pyroxenes, the olivines, and calcite; except for the last one, all of these minerals are silicates. Overall, around 150 new minerals are considered particularly important, whether in terms of their abundance or aesthetic value in terms of collecting. The other minerals in the rocks are termed accessory, and do not greatly affect the bulk composition assemblies

Thin & Thin Italic 9 pt.

Crystal structure results from the orderly geometric spatial arrangement of atoms in the internal structure of a mineral. This crystal structure is based on regular internal atomic or ionic arrangement that is often expressed in the geometric form that the crystal takes. Even when the mineral grains are too small to see or are irregularly shaped, the *underlying crystal structure* is always periodic and can be formed by X-ray diffraction. Minerals are typically described by their symmetry content. Crystals are restricted to 32 point groups, which differ by their symmetry. These groups are classified in turn into broad categories, the most encompassing of these being the six crystal families. These families can be described by the *relative lengths* of the three crystallographic axes, and the angles between them; these relationships correspond to the *symmetry operations* that define co-lineal

Light & Light Italic 9 pt.

Crystal structure results from the orderly geometric spatial arrangement of atoms in the internal structure of minimized minerals. This crystal structure is based on regular internal atomic or ionic arrangement that is often expressed in the geometric form the crystal takes. Even when the mineral grains are too small to see or are irregularly shaped, the *underlying crystal structure* is always periodic and can be determined by X-ray diffraction. Minerals are typically described by their symmetry content. Crystals are restricted to 32 point groups, which differ by their symmetry. These groups are classified in turn into more broad categories, the most encompassing of these being the six crystal families. These families can be described by the *relative lengths* of the three crystallographic axes, and the angles between them; these relationships correspond to

Regular & Regular Italic 9 pt.

Crystal structure results from the orderly geometric spatial arrangement of atoms in the internal structure of a mineral. This crystal structure is based on regular internal atomic or ionic arrangement that is often expressed in the geometric form that the crystal takes. Even when the mineral grains are too small to see or are irregularly shaped, the *underlying crystal structure* is always periodic and can be determined by X-ray diffraction. Minerals are typically described by their symmetry content. Crystals are restricted to 32 point groups, which differ by symmetry. These groups are classified in turn into more broad categories, the most encompassing of these being the six crystal families. These families can be described by the *relative lengths* of the three crystallographic axes, and the angles between them; these relationships correspond

Medium & Medium Italic 9 pt.

Crystal structure results from the orderly geometric spatial arrangement of atoms in the internal structure of a mineral. This crystal structure is based on regular internal atomic or ionic arrangement that is most often expressed in the geometric form that the crystal takes. Even when the mineral grains are too small to see or are irregularly shaped, the *underlying crystal structure* is always periodic and can be determined by X-ray diffraction. Minerals are typically described by symmetrical content. Crystals are restricted to only 32 point groups, which differ by their symmetry. These groups are classified in turn into more broad categories, the most encompassing of these being the six crystal families. These families can be described by the *relative lengths* of the three crystallographic axes, and the angles between them; these relationships

SemiBold & SemiBold Italic 9 pt.

Crystal structure results from the orderly geometric spatial arrangement of atoms in the internal structure of a mineral. This crystal structure is based on regular internal atomic or ionic arrangement that is often expressed in the geometric form that the crystal takes. Even when the mineral grains remain too small to see or are irregularly shaped, the *underlying crystal structure* remains always periodic and determined by X-ray diffraction. Minerals are typically described by their symmetrical content. Crystals are restricted to 32 point groups, which differ by their symmetry. Removed groups are classified in turn into more broad categories, the most encompassing of these being the six crystal families. These families can be described by the *relative lengths* of the three crystallographic axes, and the angles between them; connect

Bold & Bold Italic 9 pt.

Crystal structure results largely from the orderly geometric spatial arrangement of atoms in the internal structure of a mineral. This crystal structure is based on regular internal atomic or ionic arrangement that is expressed in the geometric form that the crystal takes. Even when the mineral grains are too small to see or are irregularly shaped, the *underlying crystal structure* is always periodic and can be determined by X-ray diffraction. Minerals typically described by their symmetrical content. Crystals are restricted to 32 point groups, which differ by their symmetry. These groups are classified into more broad categories, the most encompassing of these being the six crystal families. These families can be described by the *relative lengths* of the three crystallographic axes, and the angles between them; connect

abcdefghijklmnopqrstuvwxyz
áăâäææàāāaãåćčçĉċd'đéĕěêëėèēęǧĝġġħĥíĭîïìîīįijĵ
ķĺľļŀłńňņñóŏôöœòőōøøõŕřŗśšşŝșßŧťţúŭûüùűūųůũ
ѝŵŵwýŷÿýźžžðŋþfifl

ABCDEFGHIJKLMNOPQRSTUVWXYZ
ÁĂÂÄÆÆÀĀĄÃÅĆČÇĈĊĎĐÉĔĚÊËĖĖĒĘĞĜĢĠĦĤĬĬĨĬĮIJĴĶĹĽĻĿŁŃŇŅÑÓŎÔÖŒÒŐŌØØÕŔŘŖŚ
ŠŞŜŞŦŤŢÚŬÛÜÙŰŪŲŮŨŴŴWŴŶŶŸÝŹŽŻĐŊÞ

0123456789 \$€£¢¥% <≤-×÷+±=≠¬≈~≥>

0123456789 \$€£¢¥% <≤-×÷+±=≠¬≈~≥>

 $\lozenge \infty \int \lozenge \sqrt{\Delta} \Omega \prod \sum \mu \pi \#\%\% / \frac{1}{2} \frac{1}{4} \frac{3}{4} \frac{1}{3} \frac{2}{3} \frac{1}{8} \frac{3}{8} \frac{5}{8} \frac{7}{8}$

(){}[]/\---|¦§^@&!?¡¿^{†‡}

(){}[]/|\---@;¿<><<>

 $\textcircled{\tiny \texttt{R}} \ ^{\texttt{M}} \ ^{\texttt{O}} \bullet ^{\star} f \ \texttt{M} \ldots \vdots ; , , , , , \\ \\ ^{\texttt{M}} \ ^{\texttt{M}} \ ^{\texttt{O}} \bullet ^{\star} f \ \texttt{M} \ldots \vdots ; , , , \\ \\ ^{\texttt{M}} \ ^{\texttt{M}}$

 \P

abcdefghijklmnopqrstuvwxyz
áăâäææàāąãåćčçĉċďđéĕěêëėèēęğĝġġħĥíĭîïìĩīįijĵ
ķĺľļŀłńňņñóŏôöœòőōøøõŕřŗśšşŝșßŧťţúŭûüùűūųůũ
ѝŵŵwýŷÿýźžżðŋþfifl

ABCDEFGHIJKLMNOPQRSTUVWXYZ
ÁĂÂÄÆÆÀĀĄÃÅĆČÇĈĊĎÐÉĔĚÊËĖĖĒĘĞĜĢĠĦ
ĤÍĬĨÏĬĬĬĬĮIJĴĶĹĽĻĿŁŃŇŅÑÓŎÔÖŒÒŐŌØØÕŔŘŖŚ
ŠŞŜŞŦŤŢÚŬÛÜÙŰŪŲŮŨŴŴŴŴŶŶŸÝŹŽŻĐŊÞ

0123456789 \$€£¢¥% <≤-×÷+±=≠¬≈~≥>

0123456789 \$€£¢¥% <≤-×÷+±=≠¬≈~≥>

 $\Diamond \infty \int \partial \sqrt{\Delta} \Omega \prod \sum \mu \pi \#\%\% / \frac{1}{2} \frac{1}{4} \frac{3}{4} \frac{1}{3} \frac{2}{3} \frac{1}{8} \frac{3}{8} \frac{5}{8} \frac{7}{8}$

 $()\{\}[]/\--/'_{s}^{\circ} \& !?_{i};^{t}$

(){}[]//\---@i¿‹>«»

 \P

OpenType Features

 $0123456789 \rightarrow 0123456789$

TABULAR FIGURES

$$(CAP) \ll CAP \gg - (CAP) \ll CAP \gg$$

CASE SENSITIVE FORMS

2/3 3/4 7/8 \rightarrow 2/3 3/4 7/8

PRE-BUILT FRACTIONS

Language Coverage

Afrikaans, Albanian, Basque, Bokmål, Bosnian, Breton, Catalan, Cornish, Croatian, Czech, Danish, Dutch, English, Esperanto, Estonian, Faroese, Finnish, French, Frisian, Friulian, Gaelic (Manx), Gaelic (Scottish), Gagauz (Latin), Galician, German, Hawaiian, Hungarian, Icelandic, Indonesian, Irish, Irish Gaelic, Italian, Karelian, Ladin, Latvian, Lithuanian, Luxemburgish, Maltese, Moldavian (Latin), Norwegian, Polish, Portuguese, Rhaeto-Romanic, Romanian, Sami, Serbian (Latin), Slovak, Slovenian, Sorbian, Spanish, Swahili, Swedish, Turkish and Welsh.

Fonts	Thin, Light, Regular, Medium, SemiBold, Bold & Black with italics for each
Formats	OpenType, WOFF2, WOFF & EOT
Design	Eric Olson
Production	Eric Olson and Nicole Dotin
Released	May 2019
Available	www.processtype.com

 $Content\ for\ text\ settings\ from\ www.wikipedia.com$