

Sculpin



Granulation

Blindfolders

Készenlétbe

Realignment

Sketchbooks

AIRGLOW

QUARTERS

PHILOMATH

VOLUNTEER

SCORECARD

Mandeville

Strasbourg

Appreciable

Rendőrökkel

Fundamental

PRESOLD

GOLDBUGS

SKRIGENDE


DEFLECTED

KEYSTROKE

Sculpin Features

t-jay

Alternate a, j, t and y characters



Directional arrows

Sculpin Text Settings

Light 10pt.

The tetrahedral sheets consist of silica tetrahedra, which are silicon ions surrounded by four oxygen ions. In most micas, one in four silicon ions is replaced by an aluminium ion, while half the silicon ions are replaced by aluminium ions in brittle micas. The tetrahedra each share three of their four oxygen ions with neighboring tetrahedra to produce a hexagonal sheet. The remaining oxygen ion (the apical oxygen ion) is available to bond with the octahedral sheet. *The octahedral sheet can be dioctahedral or trioctahedral. A trioctahedral sheet has the structure of a sheet of the mineral brucite, with magnesium or ferrous iron being the most common cation. A dioctahedral sheet has the structure and typically the composition of a gibbsite sheet, with aluminium being the*

Regular 10pt.

The tetrahedral sheets consist of silica tetrahedra, which are silicon ions surrounded by four oxygen ions. In most micas, one in four silicon ions is replaced by an aluminium ion, while half the silicon ions are replaced by aluminium ions in brittle micas. The tetrahedra each share three of their four oxygen ions with neighboring tetrahedra to produce a hexagonal sheet. The remaining oxygen ion (the apical oxygen ion) is available to bond with the octahedral sheet. *The octahedral sheet can be dioctahedral or trioctahedral. A trioctahedral sheet has the structure of a sheet of the mineral brucite, with magnesium or ferrous iron being the most common cation. A dioctahedral sheet has the structure and typically the composition of a gibbsite sheet, aluminium*

Medium 10pt.

The tetrahedral sheets consist of silica tetrahedra, which are silicon ions surrounded by four oxygen ions. In most micas, one in four silicon ions is replaced by an aluminium ion, while half the silicon ions are replaced by aluminium ions in brittle micas. The tetrahedra each share three of their four oxygen ions with neighboring tetrahedra to produce a hexagonal sheet. The remaining oxygen ion (the apical oxygen ion) is available to bond with the octahedral sheet. The octahedral sheet can be dioctahedral or trioctahedral. *A trioctahedral sheet has the structure of a sheet of the mineral brucite, with magnesium or ferrous iron being the most common cation. A dioctahedral sheet has the structure and typically the composition of a gibbsite sheet, with aluminium being the*

Bold 10pt.

The tetrahedral sheets consist of silica tetrahedra, which are silicon ions surrounded by four oxygen ions. In most micas, one in four silicon ions is replaced by an aluminium ion, while half the silicon ions are replaced by aluminium ions in brittle micas. The tetrahedra each share three of their four oxygen ions with neighboring tetrahedra to produce a hexagonal sheet. The remaining oxygen ion (the apical oxygen ion) is available to bond with the octahedral sheet. *The octahedral sheet can be dioctahedral or trioctahedral. A trioctahedral sheet has the structure of a sheet of the mineral brucite, with magnesium or ferrous iron being the most common cation. A dioctahedral sheet has the structure and typically the composition of*

Black 10pt.

The tetrahedral sheets consist of silica tetrahedra, which are silicon ions surrounded by four oxygen ions. In most micas, one in four silicon ions is replaced by an aluminium ion, while half the silicon ions are replaced by aluminium ions in brittle micas. The tetrahedra each share three of their oxygen ions with neighboring tetrahedra to produce a hexagonal sheet. The remaining oxygen ion (the apical oxygen ion) is available to bond with the octahedral sheet. *The octahedral sheet can be dioctahedral or trioctahedral. A trioctahedral sheet has the structure of a sheet of the mineral brucite, with magnesium or ferrous iron being the most common cation. A dioctahedral sheet has the structure and typically the composition of*

Light 12pt.

The tetrahedral sheets consist of silica tetrahedra, which are silicon ions surrounded by four oxygen ions. In most micas, one in four silicon ions is replaced by an aluminium ion, while half the silicon ions are replaced by aluminium ions in brittle micas. The tetrahedra each share three of their four oxygen ions with neighboring tetrahedra to produce a hexagonal sheet. The remaining oxygen ion (the apical oxygen ion) is available to bond with the octahedral sheet. *The octahedral sheet can be dioctahedral or trioctahedral. A trioctahedral sheet has the structure of a sheet of the mineral brucite, with magnesium or ferrous iron*

Regular 12pt.

The tetrahedral sheets consist of silica tetrahedra, which are silicon ions surrounded by four oxygen ions. In most micas, one in four silicon ions is replaced by an aluminium ion, while half the silicon ions are replaced by aluminium ions in brittle micas. The tetrahedra each share three of their four oxygen ions with neighboring tetrahedra to produce a hexagonal sheet. The remaining oxygen ion (the apical oxygen ion) is available to bond with the octahedral sheet. *The octahedral sheet can be dioctahedral or trioctahedral. A trioctahedral sheet has the structure of a sheet of the mineral brucite, with magnesium or ferrous iron*

Medium 12pt.

The tetrahedral sheets consist of silica tetrahedra, which are silicon ions surrounded by four oxygen ions. In most micas, one in four silicon ions is replaced by an aluminium ion, while half the silicon ions are replaced by aluminium ions in brittle micas. The tetrahedra each share three of their four oxygen ions with neighboring tetrahedra to produce a hexagonal sheet. The remaining oxygen ion (the apical oxygen ion) is available to bond with the octahedral sheet. *The octahedral sheet can be dioctahedral or trioctahedral. A trioctahedral sheet has the structure of a sheet of the mineral brucite, with magnesium iron*

Bold 12pt.

The tetrahedral sheets consist of silica tetrahedra, which are silicon ions surrounded by four oxygen ions. In most micas, one in four silicon ions is replaced by an aluminium ion, while half the silicon ions are replaced by aluminium ions in brittle micas. The tetrahedra each share three of their four oxygen ions with neighboring tetrahedra to produce a hexagonal sheet. The remaining oxygen ion (the apical oxygen ion) is available to bond with the octahedral sheet. *The octahedral sheet can be dioctahedral or trioctahedral. A trioctahedral sheet has the structure of a sheet of the mineral brucite, with magnesium or*

Black 12pt.

The tetrahedral sheets consist of silica tetrahedra, which are silicon ions surrounded by four oxygen ions. In most micas, one in four silicon ions is replaced by an aluminium ion, while half the silicon ions are replaced by aluminium ions in brittle micas. The tetrahedra each share three of their four oxygen ions with neighboring tetrahedra to produce a hexagonal sheet. The remaining oxygen ion (the apical oxygen ion) is available to bond with the octahedral sheet. *The octahedral sheet can be dioctahedral or trioctahedral. A trioctahedral sheet has the structure of a sheet of the mineral brucite, with magnesium or*

Sculpin

Features

racket jaycat → racket jaycat

Stylistic Alternates

H@(R}«A;H → H@(R}«AiH

Case Sensitive Forms



Arrows



Patterns

Language Coverage

Afrikaans, Albanian, Basque, Bokmål, Bosnian, Breton, Catalan, Cornish, Croatian, Czech, Danish, Dutch, English, Esperanto, Estonian, Faroese, Finnish, French, Frisian, Friulian, Gaelic (Manx), Gaelic (Scottish), Gagauz (Latin), Galician, German, Hawaiian, Hungarian, Icelandic, Indonesian, Irish, Irish Gaelic, Italian, Karelian, Ladin, Latvian, Lithuanian, Luxembourgish, Maltese, Moldavian (Latin), Norwegian, Polish, Portuguese, Rhaeto-Romanic, Romanian, Sami, Serbian (Latin), Slovak, Slovenian, Sorbian, Spanish, Swahili, Swedish, Turkish and Welsh.

Fonts

(10 fonts) Light, Regular, Medium, Bold, Black & Italics + Variable

Formats

OpenType, WOFF2, WOFF, EOT & TrueType Variable

Design & Production

Eric Olson

Released

March 2021

Available

www.processtype.com
